



## SAFETY DATA SHEET

### Buster Bathroom Plughole Unblocker

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** Buster Bathroom Plughole Unblocker  
**Product number** 00153/05  
**Container size** 300ml

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Cleaning agent.  
**Uses advised against** Not to be used in any other way than instructed on product packaging.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Challs International Ltd.  
Unit 46  
Lady Lane Industrial Estate  
Hadleigh  
Suffolk  
IP7 6BQ  
+44 01473 828700  
+44 01473 828701  
sales@challs.com

**Manufacturer** Primo Manufacturing Ltd  
Hadleigh  
Suffolk  
IP7 6BQ  
+44 01473 820999  
sales@primo.mfg.co.uk

##### 1.4. Emergency telephone number

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

**Physical hazards** Not Classified  
**Health hazards** Skin Corr. 1B - H314 Eye Dam. 1 - H318  
**Environmental hazards** Aquatic Acute 1 - H400

**Classification (67/548/EEC or 1999/45/EC)** C; R34. N; R50

##### 2.2. Label elements

## Buster Bathroom Plughole Unblocker

### Pictogram



### Signal word

Danger

### Hazard statements

H314 Causes severe skin burns and eye damage.  
H400 Very toxic to aquatic life.

### Precautionary statements

Always store upright in a cool, dry, well-ventilated place.  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P260 Do not breathe vapour/ spray.  
P264 Wash contaminated skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/ doctor.  
P321 Specific treatment (see medical advice on this label).  
P363 Wash contaminated clothing before reuse.  
P391 Collect spillage.  
P405 Store locked up.  
P501 Dispose of contents/ container in accordance with national regulations.

### Supplemental label information

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

### Contains

sodium hydroxide, sodium hypochlorite, solution ... % Cl active, Silicic acid, sodium salt, N,N-dimethyltetradecylamine N-oxide

### Detergent labelling

< 5% chlorine-based bleaching agents, < 5% non-ionic surfactants, < 5% perfumes

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>sodium hydroxide</b>	<b>1-5%</b>
CAS number: 1310-73-2	EC number: 215-185-5
<b>Classification</b>	
Skin Corr. 1A - H314	

## Buster Bathroom Plughole Unblocker

<b>sodium hypochlorite, solution ... % Cl active</b> <span style="float: right;"><b>1-5%</b></span> CAS number: 7681-52-9                      EC number: 231-668-3 M factor (Acute) = 10
<b>Classification</b> Skin Corr. 1B - H314 Aquatic Acute 1 - H400
<b>Silicic acid, sodium salt</b> <span style="float: right;"><b>1-5%</b></span> CAS number: 1344-09-8                      EC number: 215-687-4                      REACH registration number: 01-2119448725-31-XXXX
<b>Classification</b> Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335
<b>N,N-dimethyltetradecylamine N-oxide</b> <span style="float: right;"><b>1-5%</b></span> CAS number: 3332-27-2                      EC number: 222-059-3                      REACH registration number: 01-2119949262-37-XXXX M factor (Acute) = 1
<b>Classification</b> Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Get medical attention immediately.
<b>Skin contact</b>	Remove affected person from source of contamination. Take off immediately all contaminated clothing and wash it before reuse. Wash skin thoroughly with soap and water. Get medical attention immediately.
<b>Eye contact</b>	Remove affected person from source of contamination. Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Specific treatments**                      Treat symptomatically.

### SECTION 5: Firefighting measures

## Buster Bathroom Plughole Unblocker

### 5.1. Extinguishing media

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Chlorine.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** For personal protection, see Section 8.

### 6.2. Environmental precautions

**Environmental precautions** Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Do not touch or walk into spilled material. Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Flush contaminated area with plenty of water.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Read label before use. Handle all packages and containers carefully to minimise spills. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place.

**Storage class** Corrosive storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls**

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients. Avoid inhalation of vapours.

**Eye/face protection**

Wear eye protection.

## Buster Bathroom Plughole Unblocker

<b>Hand protection</b>	Wear protective gloves.
<b>Other skin and body protection</b>	Provide eyewash station and safety shower. Wear appropriate clothing to prevent any possibility of skin contact.
<b>Hygiene measures</b>	Do not eat, drink or smoke when using this product. Wash promptly with soap and water if skin becomes contaminated. Wash contaminated skin thoroughly after handling. Take off immediately all contaminated clothing and wash it before reuse.
<b>Respiratory protection</b>	If ventilation is inadequate, suitable respiratory protection must be worn. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator.
<b>Environmental exposure controls</b>	Keep container tightly sealed when not in use.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Off-yellow (translucent)
<b>Odour</b>	Characteristic.
<b>pH</b>	pH (concentrated solution): 12-14
<b>Relative density</b>	1.10-1.14 @ 20°C
<b>Solubility(ies)</b>	Soluble in water.
<b>Comments</b>	Do not allow to freeze.

#### 9.2. Other information

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	Acids.
-------------------	--------

#### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
------------------	---

#### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Acids.
---	--------

#### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid exposure to high temperatures or direct sunlight.
----------------------------	---

#### 10.5. Incompatible materials

<b>Materials to avoid</b>	Acids.
---------------------------	--------

#### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	Heating may generate the following products: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Chlorine
---	--

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity - oral

## Buster Bathroom Plughole Unblocker

**ATE oral (mg/kg)** 38,402.46

**Inhalation** Harmful by inhalation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

**Ingestion** This product is corrosive. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.

**Skin contact** This product is corrosive. May cause serious chemical burns to the skin.

**Eye contact** This product is corrosive. The product is strongly irritating to eyes and skin. May cause serious eye damage.

### SECTION 12: Ecological Information

**Ecotoxicity** Very toxic to aquatic life.

#### 12.1. Toxicity

#### 12.2. Persistence and degradability

**Biodegradation** Expected to be readily biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.

#### 12.4. Mobility in soil

**Mobility** The product is soluble in water.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

**Other adverse effects** None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**General information** Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### SECTION 14: Transport information

#### 14.1. UN number

**UN No. (ADR/RID)** 1719

**UN No. (IMDG)** 1719

**UN No. (ICAO)** 1719

**UN No. (ADN)** 1719

#### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS SODIUM HYDROXIDE AND SODIUM HYPOCHLORITE)

## Buster Bathroom Plughole Unblocker

**Proper shipping name (IMDG)** CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS SODIUM HYDROXIDE AND SODIUM HYPOCHLORITE)

**Proper shipping name (ICAO)** CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS SODIUM HYDROXIDE AND SODIUM HYPOCHLORITE)

**Proper shipping name (ADN)** CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS SODIUM HYDROXIDE AND SODIUM HYPOCHLORITE)

### 14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID classification code	C5
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

### Transport labels



### 14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ADN packing group	II
ICAO packing group	II

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



### 14.6. Special precautions for user

EmS	F-A, S-B
ADR transport category	2
Emergency Action Code	2R
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

**SECTION 15: Regulatory information**

## Buster Bathroom Plughole Unblocker

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

Control of Substances Hazardous to Health Regulations 2002 (as amended).  
 Dangerous Substances and Explosive Atmospheres Regulations 2002.  
 EH40/2005 Workplace exposure limits.  
 Health and Safety at Work etc. Act 1974 (as amended).  
 The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].  
 The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

#### EU legislation

Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.  
 Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).  
 Commission Regulation (EU) No 453/2010 of 20 May 2010.  
 Dangerous Preparations Directive 1999/45/EC.  
 Dangerous Substances Directive 67/548/EEC.  
 Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
 Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).  
 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
 Commission Regulation (EU) No 2015/830 of 28 May 2015.

#### Guidance

Workplace Exposure Limits EH40.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

Revision date 17/03/2020

Revision 5.2

Supersedes date 14/01/2020

SDS number 4526

Hazard statements in full  
 H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H335 May cause respiratory irritation.  
 H400 Very toxic to aquatic life.  
 H411 Toxic to aquatic life with long lasting effects.